

MEETING DATE: May 23, 2016

TIME: 5:00pm

If Applicable please fill in Executive Session START TIME:

END TIME:

Re-open to Public? If yes

state approx time:

SUBJECT of Executive Session: \_\_\_\_\_

**BOARD OF HEALTH**

NAME of BOARD/COMMITTEE

Butterick Municipal Building, One Park Street, Sterling, MA 205

LOCATION

ROOM

Name: David Favreau

DESIGNATED AUTHORITY OF BOARD/COMMITTEE CALLING THE MEETING



**AGENDA**

5:00: Meeting to order. Roll Call

General Business Updates....including but not limited to the following:

1. Approve any available minutes: October 8, & November 12, 2015
2. Correspondence:
3. Health Agent Report:
4. Signatures Required:
5. Other Items:

5:00: Appointments and Agenda Items:

1. 20 Redstone Place variance request: To reduce the minimum separation distance from high groundwater and the SAS as required in 310 cmr 15.212 (1) from 4 feet to 3 feet & as required in Sterling Subsurface Sewage disposal Regulations IV (f). A local upgrade approval request from 310 cmr 405(1)(i) a sieve analysis in lieu of a percolation test. Sterling Subsurface Sewage disposal Regulations IV (a) requires 1000 square feet 12" stone beneath for a bed, a Presby design utilizing 789SF leaching area is proposed without stone.
2. Review of future agenda Items

NRV19 16 1:11PM

Adjourned

Note: all times are approximate and subject to change.