



RECEIVED

MAR 10 2014

TOWN OF STERLING
TOWN CLERK

4:30pm

TOWN OF STERLING

Board of Health

Butterick Building

1 Park Street, Sterling, Massachusetts

Bus: 978-422-8111 X2305 Fax: 978-422-0289

AGENDA

March 13, 2014

Meeting Room 205

6:30 pm: Meeting to order, general business updates. Including, but not limited to the following:

- 1: Approve any available minutes: January 9, 16 & February 24, 2014
- 2: Correspondence:
- 3: Health Agent report...
 - o BOH Training list
 - o Report for BOH audio recorder
 - o Clinton Savings Bank correspondence
- 4: Report on March 1st meeting with the Finance Committee
- 5: Discuss Health Agent disclosure statement.
- 6: Discuss adopt open meeting law policy

APPOINTMENTS:

6:45 pm: Presentation/discussion with Nashoba Associated Boards of Health regionalization representative.

7:15 pm: Agenda Items:

1. Martha Hawley 108 Chace Hill Rd. to discuss findings associated to recent Title 5 inspection report.
2. Discussion on East Lake Waushacum yearend report
3. Review of future agenda items.

7:45 pm: Ducharme & Dillis Civil Design Group representing 79 Lake Shore Drive variance request:

1. Sterling Board of Health Regulation IV.a, requires a leaching bed of 1,000 square feet with a minimum of 12" of stone beneath the lateral pipes. A variance is requested to allow for a sand bed size of 752 square feet as per Advanced Drainage Systems' Massachusetts Design Manual Table III Part A.
2. Sterling Board of Health Regulation IV.f requires Leaching facilities shall be constructed with a minimum separation distance to estimated seasonal high groundwater of 4 ft. also per Title 5 (CMR 15.212). A variance requested to allow for a separation to estimated seasonal high groundwater of 3 ft. as per Title 5 (CMR 15.405 (1) h).

8:00 pm: Public Session

ADJOURNMENT